

# Plate Door Handles



We take the worry out of  
protecting what's valuable to you.  
Lockwood: *no worries*®



ASSA ABLOY

25YEAR

MECHANICAL  
WARRANTY

[www.lockweb.com.au](http://www.lockweb.com.au)



# Contents



## 1800 Series

Square End Brass Plate Furniture

page 4



## 2800 Series

Round End Brass Plate Furniture

page 6



## 4800 Series

Narrow Plate Brass Door Furniture

page 9



## 5800 Series

Narrow Plate Brass Door Furniture

page 13



## Brass Levers

page 20



## 200 Series Artefact

Square Corner Plate Furniture

page 28



## 202 Series Artefact

Radius Corner Plate Furniture

page 30



## 212 Series Artefact

Oval Corner Plate Furniture

page 33



## 224 Series Artefact

Rectangular Plate Furniture

page 35



## Detention Series

Square and Rectangular Furniture

page 38



## Palladium Series

Door Handles

page 48



## Diecast Levers

page 52

Brass Furniture Thicker Door Accessories \_\_\_\_\_ 57

Lockwood Door Furniture Handing Convention \_\_\_\_\_ 58


# 1800 Series Square End Brass Plate Furniture



For a smart look choose this rectangular plate with bevelled edges and corners. It features concealed fixing on the outside plate.

## Application

Designed for use with Lockwood Selector and Synergy Mortice Locks and Latches.



## Product Details

### Door Thickness

External plates are supplied with fixing screws to suit door thickness between 32 and 45mm. For thicker doors, please refer to the brass furniture thicker doors page at the end of this catalogue section.

### Dimensions

166 x 48 x 12mm

### Fixing

Plates are designed to fit back to back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed.

### Handing

Plates are not handed; levers may be reversed by removing the stop screw, except for handed levers and functions as shown in the ordering procedure.

### Standard Finishes

Satin Chrome Brushed (SC)

### Non Standard Finishes

Chrome Plate (CP)  
Polished Brass (PB)  
Polyester Powdercoat (PC)\*

### Special Finishes

Architectural Bronze (AZ)  
Architectural Bronze Unlaqured (AU)  
Antique Copper (AC)  
Oil Rubbed Bronze (ORB)  
Polished Brass Unlaqured (BU)  
Satin Brass (SB)

### Turn Functions

Turn functions feature a unique mechanism that automatically adjusts the length of the tail bar to suit a particular door thickness.

\* For the Powdercoat colour range, please see the Dulux Powdercoat Range at the end of this catalogue section.

## Standards and Compliance



Successfully tested up to 4 hours on fire door assemblies in accordance with Australian Standard AS1905.1 2005 - Part 1: Fire Resistant Doorsets.

S3

High security for maximum protection (AS4145.2:2008).

D3

High durability for maximum frequency usage.



Tested to AS 4145.2 2008 for Neutral Salt Spray with SC Finish Passing C10 Extreme Corrosion Resistance - 1000 hours.



Australian Made




AS1428.1 Compliance  
The range includes AS1428.1 compliant levers and turns as shown.




# 1800 Series Levers and Functions

## Levers and Knobs to Suit



For lever images and dimensions, see page 15.

## Plates and Functions



\* Refer to ordering procedure for part number when ordering with 3770 Series.

### Plates and Functions Legend

Cylinder Hole		Fixed Lever		Indicating Turnknob	
Turnknob		Disabled Turnknob		Indicating Emergency Turn	
Emergency Turn		LED		Lever	


# 2800 Series Round End Brass Plate Furniture



For a smart look choose this rectangular plate with bevelled edges and round ends. It features concealed fixing on the outside plate.

## Application

Designed for use with Lockwood Selector and Synergy Mortice Locks and Latches.



## Product Details

### Door Thickness

External plates are supplied with fixing screws to suit door thickness between 32 and 45mm. For thicker doors, please refer to the brass furniture thicker doors page at the end of this catalogue section.

### Dimensions

166 x 48 x 12mm

### Fixing

Plates are designed to fit back to back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed.

### Handing

Plates are not handed; levers may be reversed by removing the stop screw, except for handed levers and functions as shown in the ordering procedure.

### Standard Finishes

Satin Chrome Brushed (SC)

### Non Standard Finishes

Chrome Plate (CP)  
Polished Brass (PB)  
Polyester Powdercoat (PC)\*

### Special Finishes

Architectural Bronze (AZ)  
Architectural Bronze Unlaqured (AU)  
Antique Copper (AC)  
Oil Rubbed Bronze (ORB)  
Polished Brass Unlaqured (BU)  
Satin Brass (SB)

### Turn Functions

Turn functions feature a unique mechanism that automatically adjusts the length of the tail bar to suit a particular door thickness.

\* For the Powdercoat colour range, please see the Dulux Powdercoat Range at the end of this catalogue section.

## Standards and Compliance



Successfully tested up to 4 hours on fire door assemblies in accordance with Australian Standard AS1905.1 2005 - Part 1: Fire Resistant Doorsets.

**S3**

High security for maximum protection (AS4145.2:2008).

**D3**

High durability for maximum frequency usage.



Tested to AS 4145.2 2008 for Neutral Salt Spray with SC Finish Passing C10 Extreme Corrosion Resistance - 1000 hours.




Australian Made



AS1428.1 Compliance  
The range includes AS1428.1 compliant levers and turns as shown.


# 2800 Series Levers and Functions

## Levers and Knobs to Suit



For lever images and dimensions, see page 15.

## Plates and Functions



\* Refer to ordering procedure for part number when ordering with 3770 Series

### Plates and Functions Legend

Cylinder Hole		Fixed Lever		Indicating Turnknob	
Turnknob		Disabled Turnknob		Indicating Emergency Turn	
Emergency Turn		LED		Lever	

# 1800 and 2800 Series Ordering Procedure

## For example:

Sample part number 1801/41LCP is made up of several selections. Choose your product by selecting an option from each section.

Plate Type	Plate Function	Lever/ Knob	Handing	Finish
18	01	41	L	CP

Plate Type	
Exterior Square End	18
Interior Square End	19
Exterior Round End	28
Interior Round End	29

Plate Function	
Cylinder Only	00
Cylinder & Lever	01
Emergency Turn & Lever	03
Turnknob & Lever	04
Lever Only	05
Turnknob Only	06
Plain Plate	07
Cylinder & Fixed lever	08
Fixed Lever Only	09
Two Cylinders	10
Privacy Indicating Emergency Turn Only	13
Privacy Indicating Emergency Turn & Lever	14
Privacy Indicating Turnknob Only	15
Privacy Indicating Turnknob & Lever	16
Privacy Indicating Emergency Turn & Lower Cylinder	19
Cylinder, Lever & LED	20
Cylinder, Fixed Lever & LED	21
Lever & LED	22
Cylinder & LED	23

Plate Function - Handed	
Disabled Accessible Turnknob & Lever	39
Privacy Indicating Disabled Turnknob & Lever	41

Lever/Knob Type		
20	60	79
32	65*	79B
44	66	83
45	67	97
55	71	
55A	78	

AS1428.1 Compliant Levers		
59	76	85*
70	77	90
74	80	92

Handed Levers		
41	53	61
* Lever 65 and 85 not available in CP or PB		

Handing	
Right Handed	R
Left Handed	L
NB: Omit if non-handed	

Finish	
Antique Copper	AC
Architectural Bronze Unlaquered	AU
Chrome Plate	CP
Oil Rubbed Bronze	ORB
Polished Brass	PB
Polished Brass Unlacquered	BU
Polyester Powdercoat	PC*
Satin Brass	SB
Satin Chrome	SC

\* For the powdercoat colour range, please see the Dulux Powdercoat Range at the end of this catalogue section.

# 4800 Series Narrow Plate Brass Door Furniture




A slimline, rectangular brass plate that adds style to your choice of lever.

## Application

Designed for use with Lockwood Selector and Synergy Series short and standard backset mortice locks.

Additionally there are functions that are designed to work with Lockwood 3540 Series short backset mortice deadbolts.

**Note:** Certain lever designs are not compatible on short backset assemblies due to interference with the door stop. Refer to the backset suitability page at the end of this section.



## Product Details

### Door Thickness

External plates are supplied with fixing screws to suit door thickness between 32 and 50mm. For thicker doors, please refer to the brass furniture thicker doors page at the end of this catalogue section.

### Dimensions

185 x 26 x 11.5mm

### Fixing

Plates are designed to fit back to back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed.

### Handing

Plates are not handed; levers may be reversed by removing the stop screw, except for handed levers and functions as shown in the ordering procedure.

### Standard Finishes

Satin Chrome Brushed (SC)

### Non Standard Finishes

Chrome Plate (CP)  
Polished Brass (PB)  
Polyester Powdercoat (PC)\*

### Special Finishes

Aged Brass (AG)  
Architectural Bronze (AZ)  
Architectural Bronze Unlaqured (AU)  
Antique Copper (AC)  
Oil Rubbed Bronze (ORB)  
Polished Brass Unlaqured (BU)  
Satin Brass (SB)  
Satin Brass Unlacqured (SBU)

### Turn Functions

Turn functions feature a unique mechanism that automatically adjusts the length of the tail bar to suit a particular door thickness.

\*For the Powdercoat colour range, please see the Dulux Powdercoat Range at the end of this catalogue section.

## Standards and Compliance

Fire Rated  
(3770 and 3570 Series only)  
Lockwood 4800 Series Plate furniture have been successfully tested up to 2 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.



**S3**

High security for maximum protection (AS4145.2:2008)

**D3**

High durability for maximum frequency usage.



Anti-Corrosion



Australian Made



AS1428.1 Compliance  
The range includes AS1428.1 compliant levers and turns as shown.

# 4800 Series Levers and Functions

## Plates and Functions


(See page 17 and 18 for detailed ordering procedure table and part numbers)

### To suit 3780 & 3580 Series Mortice Locks

#### 4800/4900


4800	4801	4803	4805	4807	4808	4809	4810	4814	4820	4822	4823
Exterior Plate Square-end Cylinder Only	Exterior Plate Square-end Cylinder & Lever	Exterior Plate Square-end Emergency Turn & Lever	Exterior Plate Square-end Lever Only	Exterior Plate Square-end Plain Plate	Exterior Plate Square-end Fixed Lever & Cylinder	Exterior Plate Square-end Fixed Lever Only	Exterior Plate Square-end Two Cylinders	Exterior Plate Square-end Privacy Indicating Emergency Turn & Lever	Exterior Plate Square-end Cylinder, Lever & LED	Exterior Plate Square-end Lever & LED	Exterior Plate Square-end Cylinder & LED
4900	4901	4904	4905	4906	4907	4908	4909	4910	4916	4919	4920
Interior Plate Square-end Cylinder Only	Interior Plate Square-end Cylinder & Lever	Interior Plate Square-end Turnknob & Lever	Interior Plate Square-end Lever Only	Interior Plate Square-end Turnknob Only	Interior Plate Square-end Plain Plate	Interior Plate Square-end Fixed Lever & Cylinder	Interior Plate Square-end Fixed Lever Only	Interior Plate Square-end Two Cylinders	Interior Plate Square-end Privacy Indicating Turnknob & Lever	Interior Plate Square-end Privacy Indicating Emergency Turn & Lower Cylinder	Interior Plate Square-end Cylinder, Lever & LED
4922	4939	4941									
Interior Plate Square-end Lever & LED	Interior Plate Square-end Disabled Accessible Turnknob & Lever	Interior Plate Square-end Privacy Indicating Disabled Accessible Turnknob & Lever									

# 4800 Series Levers and Functions

To suit 3770 & 3570 Series Mortice Locks   
**4600/4700 (fire rated)**

Functions 05, 07 & 09 use  
 4800 / 4900 plate versions

4600 4601 4603 4608 4620 4622 4623




Exterior Plate Square-end Cylinder Only  
 Exterior Plate Square-end Cylinder & Lever  
 Exterior Plate Square-end Emergency Turn & Lever  
 Exterior Plate Square-end Fixed Lever & Cylinder  
 Exterior Plate Square-end Cylinder, Lever & LED  
 Exterior Plate Square-end Lever & LED  
 Exterior Plate Square-end Cylinder & LED

4805 4807 4809



Exterior Plate Square-end Lever Only  
 Exterior Plate Square-end Plain Plate  
 Exterior Plate Square-end Fixed Lever Only


4700 4701 4704 4706 4708 4720 4722 4739 4905 4907 4909



Interior Plate Square-end Cylinder Only  
 Interior Plate Square-end Cylinder & Lever  
 Interior Plate Square-end Turnknob & Lever  
 Interior Plate Square-end Turnknob Only  
 Interior Plate Square-end Fixed Lever & Cylinder  
 Interior Plate Square-end Cylinder, Lever & LED  
 Interior Plate Square-end Lever & LED  
 Interior Plate Square-end Disabled Accessible Turnknob & Lever  
 Interior Plate Square-end Lever Only  
 Interior Plate Square-end Plain Plate  
 Interior Plate Square-end Fixed Lever Only

To suit 3540 Series Motice Locks


4980 4981



Interior Plate Square-end Lever Only  
 Interior Plate Square-end Lever Angled Up 45°

# 4800 Series Levers and Functions

## Levers and Knobs to Suit



**Note:** Certain lever designs are not compatible on short backset assemblies due to interference with the door stop. See page 19, for specific lever design suitability details. See page 20, for detailed lever images and dimensions.



# 5800 Series Narrow Plate Brass Door Furniture




Functional, yet elegant, the soft lines of this round ended brass plate complement a wide range of levers.

## Application

Designed for use with Lockwood Selector and Synergy Series short and standard backset mortice locks.

Additionally there are functions that are designed to work with Lockwood 3540 Series short backset mortice deadbolts.

**Note:** Certain lever designs are not compatible on short backset assemblies due to interference with the door stop. Refer to the backset suitability page at the end of this section.



## Product Details

**Dimensions** 185 x 26 x 11.5mm

**Door Thickness** External plates are supplied with fixing screws to suit door thickness between 32 and 50mm. For thicker doors, please refer to the brass furniture thicker doors page at the end of this catalogue section.

**Fixing** Plates are designed to fit back to back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed.

**Handing** Plates are not handed; levers may be reversed by removing the stop screw, except for handed levers and functions as shown in the ordering procedure.

**Standard Finishes** Satin Chrome Brushed (SC)

**Non Standard Finishes** Chrome Plate (CP)  
Polished Brass (PB)  
Polyester Powdercoat (PC)\*

**Special Finishes** Aged Brass (AG)  
Architectural Bronze (AZ)  
Architectural Bronze Unlaqured (AU)  
Antique Copper (AC)  
Oil Rubbed Bronze (ORB)  
Polished Brass Unlaqured (BU)  
Satin Brass (SB)  
Satin Brass Unlacqured (SBU)

**Turn Functions** Turn functions feature a unique mechanism that automatically adjusts the length of the tail bar to suit a particular door thickness.

\*For the Powdercoat colour range, please see the Dulux Powdercoat Range at the end of this catalogue section.

## Standards and Compliance

**Fire Rated**  
(3770 & 3570 Series only)  
Lockwood 5800 Series Plate furniture have been successfully tested up to 2 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.



**S3**

High security for maximum protection (AS4145.2:2008).

**D3**

High durability for maximum frequency usage.



Anti-Corrosion



Australian Made



AS1428.1 Compliance  
The range includes AS1428.1 compliant levers and turns as shown.




























# 5800 Series Levers and Functions

## Plates and Functions


(See Page 17 and 18 for Detailed Ordering Procedure Table and Part Numbers)

To suit 3780 & 3580 Series Mortice Locks




5800/5900

5800	5801	5803	5805	5807	5808	5809	5810	5814	5820	5822	5823
											
Exterior Plate Round-end Cylinder Only	Exterior Plate Round-end Cylinder & Lever	Exterior Plate Round-end Emergency Turn & Lever	Exterior Plate Round-end Lever Only	Exterior Plate Round-end Plain Plate	Exterior Plate Round-end Fixed Lever & Cylinder	Exterior Plate Round-end Fixed Lever Only	Exterior Plate Round-end Two Cylinders	Exterior Plate Round-end Privacy Indicating Emergency Turn & Lever	Exterior Plate Round-end Cylinder, Lever & LED	Exterior Plate Round-end Lever & LED	Exterior Plate Round-end Cylinder & LED
5900	5901	5904	5905	5906	5907	5908	5909	5910	5916	5919	5920
											
Interior Plate Round-end Cylinder Only	Interior Plate Round-end Cylinder & Lever	Interior Plate Round-end Turnknob & Lever	Interior Plate Round-end Lever Only	Interior Plate Round-end Turnknob Only	Interior Plate Round-end Plain Plate	Interior Plate Round-end Fixed Lever & Cylinder	Interior Plate Round-end Fixed Lever Only	Interior Plate Round-end Two Cylinders	Interior Plate Round-end Privacy Indicating Turnknob & Lever	Interior Plate Round-end Privacy Indicating Emergency Turn & Lower Cylinder	Interior Plate Round-end Cylinder, Lever & LED
5922	5939	5941									
											
Interior Plate Round-end Lever & LED	Interior Plate Round-end Disabled Accessible Turnknob & Lever	Interior Plate Round-end Privacy Indicating Disabled Accessible Turnknob & Lever									


# 5800 Series Levers and Functions

To suit 3770 & 3570 Series Mortice Locks   
**5600/5700 (fire rated)**

Functions 05, 07 & 09 use  
 5800 / 5900 plate versions




To suit 3540 Series Mortice Locks



# 5800 Series Levers and Functions

## Levers to Suit



**Note:** Certain lever designs are not compatible on short backset assemblies due to interference with the door stop. See page 19, for specific lever design suitability details. See page 20, for detailed lever images and dimensions.

# 4800 & 5800 Series Ordering Procedure

## Example:

Sample part number 4801/53LCP is made up of several selections. Choose your product by selecting an option from each section.

## Ordering procedure for door furniture to be used with 3770, 3570, 3780 and 3580 Series Mortice Locks

Plate Type	Plate Function	Lever Type	Handing	Finish
48	01	53	L	CP

Plate Type	Plate Function	Lever Type	Handing	Finish
<b>3770 / 3570 Series</b>	Cylinder Only 00	32 65* 79	Right Handed R	Aged Brass AG
Exterior Square End 46	Cylinder & Lever 01	44 66 79B	Left Handed L	Architectural Bronze AZ
Interior Square End 47	Emergency Turn & Lever 03	45 67 83	NB: Omit if non-handed	Architectural Bronze Unlacquered AU
Exterior Round End 56	Turnknob & Lever 04	55 71 97		Antique Copper AC
Interior Round End 57	Lever Only 05	55A 74		Chrome Plate CP
	Turnknob Only 06	60 78		Oil Rubbed Bronze ORB
	Plain Plate 07	<b>AS1428.1 Compliant Levers</b>		Polished Brass PB
<b>3780 / 3580 Series</b>	Two Cylinders 10	59 76 85*		Polished Brass Unlacquered BU
Exterior Square End 48	Cylinder, Lever & LED 20	70 77 90		Polyester Powdercoat PC*
Interior Square End 49	Lever & LED 22	74 80 92		Satin Brass SB
Exterior Round End 58	Cylinder & LED 23			Satin Chrome SC
Interior Round End 59	Disabled Accessible Turnknob & Lever 39			Satin Brass Unlacquered SBU
	<b>Plate Functions - 3780 &amp; 3580 Series Mortice Locks only</b>	<b>Handed Levers</b>		
	Privacy Indicating Emergency Turn & Lever 14	41 53 61		
	Privacy Indicating Turnknob & Lever 16	* Lever 65 and 85 not available in CP or PB		
	Privacy Indicating Turnknob & Lower Cylinder 19	<b>Notes:</b> Certain lever designs are not compatible on short backset assemblies. See page 19 for specific lever design suitability details. See page 20 for detailed lever images and dimensions.		
	Privacy Indicating Disabled Accessible Turnknob & Lever 41			
	<b>Plate Function - Handed</b>			
	Fixed Lever & Cylinder 08			
	Fixed Lever Only 09			
	Cylinder, Fixed Lever & LED 21			

\* For the powdercoat colour range, see the Dulux Powdercoat Range at the end of this catalogue section.

# 4800 & 5800 Series Ordering Procedure

## Ordering procedure for door furniture to be used with 3540 Series Mortice Locks

Plate Type	Plate Function	Lever Type	Finish
48	80	70	SC

Platform Name	
Exterior Square End	48
Interior Square End	49
Exterior Round End	58
Interior Round End	59

Plate Function	
Lever Only	80
Lever - Angled Up 45°	81

Lever Type	
67	97
AS1428.1 Compliant Levers	
70	77

**Note:** Certain lever designs are not compliant on short backsets.

Finish	
Aged Brass	AG
Architectural Bronze	AZ
Architectural Bronze Unlacquered	AU
Antique Copper	AC
Chrome Plate	CP
Oil Rubbed Bronze	ORB
Polished Brass	PB
Polished Brass Unlacquered	BU
Polyester Powdercoat	PC
Satin Brass	SB
Satin Brass Unlacquered	SBU
Satin Chrome	SC

# 4800 & 5800 Series Lever Suitability

## Application

All narrow style door furniture will be closer to the door frame. Lever handles with 90 degree angles can cause the lever stem to hit the door frame and prevent the door from opening. The table below provides a guide to lever compatibility and each model of short backset lock from 3782 to 6782. Based on 12mm doorstop.

Lever Number	3782 3540 23mm	4782 25.4mm	5782 30mm	6782 38mm
32	✗	✗	✓	✓
41	✗	✗	✓	✓
44	✗	✗	✗	✗
45	✗	✗	✓	✓
53	✗	✗	✓	✓
55	✗	✗	✗	✗
55A	✗	✗	✓	✓
59	✗	✗	✓	✓
60	✗	✗	✓	✓
61	✗	✓	✓	✓
65	✗	✗	✓	✓
66	✗	✗	✓	✓
67	✓	✓	✓	✓
70	✓	✓	✓	✓
71	✗	✗	✓	✓
74	✗	✗	✓	✓
76	✗	✗	✓	✓
77	✓	✓	✓	✓
78	✗	✗	✓	✓
79	✗	✗	✗	✗
79B	✗	✗	✓	✓
80	✗	✓	✓	✓
83	✗	✗	✓	✓
85	✗	✗	✓	✓
90	✗	✗	✓	✓
92	✗	✗	✓	✓
97	✓	✓	✓	✓

# Brass Levers and Knobs

Finger clearance is defined as the clearance between the lever and the base of the rose or plate at the centre of the lever. The tables below are calculated using an assembled plate/rose thickness of 12.5mm. Due to different bearing bush, the projection and finger clearance of levers in the 4800/5800 Series is 2.5mm larger than the value shown (except Lever 90).


## For use on the following door furniture series:

- 1220 Series
- 1420 Series
- 1360 Series
- 1370 Series
- 1800 Series
- 2800 Series
- 4800 Series
- 5800 Series
- Artefact Series

### Knob 20


<b>Diameter</b>	50mm
<b>Projection</b>	73mm

Not compatible with 1220 Symphony internal rose.



### Lever 32


<b>Length</b>	107.5mm
<b>Projection</b>	53mm
<b>Finger clearance</b>	35.5mm



### Intermezzo 41

<b>Length</b>	130mm
<b>Projection</b>	61.5mm
<b>Finger clearance</b>	40.5mm

\* Lever is an asymmetrical design and therefore must be handed.






# Brass Levers and Knobs


## Arpeggio 44

<b>Length</b>	125mm
<b>Projection</b>	59.5mm
<b>Finger clearance</b>	42mm




## Sonata 45

<b>Length</b>	117.5mm
<b>Projection</b>	57mm
<b>Finger clearance</b>	40mm



## Veloce 53


<b>Length</b>	123mm
<b>Projection</b>	73.5mm
<b>Finger clearance</b>	45mm



\*Lever is an asymmetrical design and therefore must be handed.

## Lever 55


<b>Length</b>	124mm
<b>Projection</b>	62.5mm
<b>Finger clearance</b>	40.3mm



# Brass Levers and Knobs


## Lever 55A

<b>Length</b>	115mm
<b>Projection</b>	62.5mm
<b>Finger clearance</b>	40.3mm




## Overture 59

<b>Length</b>	121mm
<b>Projection</b>	57.5mm
<b>Finger clearance</b>	38mm




## Lever 60

<b>Length</b>	121mm
<b>Projection</b>	65mm
<b>Finger clearance</b>	54.2mm



## Lever 61

<b>Length</b>	120mm
<b>Projection</b>	52.5mm
<b>Finger clearance</b>	25.5mm




\*Lever is an asymmetrical design and therefore must be handed.

# Brass Levers and Knobs


## Lever 65

<b>Length</b>	121mm
<b>Projection</b>	51mm
<b>Finger clearance</b>	43.5mm




## Lever 66

<b>Length</b>	125mm
<b>Projection</b>	50mm
<b>Finger clearance</b>	42mm




## Lever 67

<b>Length</b>	127mm
<b>Projection</b>	48.5mm
<b>Finger clearance</b>	40.5mm



## Lever 70


<b>Length</b>	121mm
<b>Projection</b>	53mm
<b>Finger clearance</b>	37mm



# Brass Levers and Knobs


## Tempo 71

<b>Length</b>	118mm
<b>Projection</b>	62mm
<b>Finger clearance</b>	44.5mm




## Ving 74

<b>Length</b>	120mm
<b>Projection</b>	53mm
<b>Finger clearance</b>	45mm




## Lever 76

<b>Length</b>	125mm
<b>Projection</b>	50mm
<b>Finger clearance</b>	42mm



## Lever 77


<b>Length</b>	121mm
<b>Projection</b>	51mm
<b>Finger clearance</b>	40.5mm



# Brass Levers and Knobs


## Candenza 78

Length	118mm
Projection	52mm
Finger clearance	30mm




## Tenor 79

Length	124mm
Projection	50.5mm
Finger clearance	40.5mm




## Lever 79B

Length	118mm
Projection	50.5mm
Finger clearance	40.5mm



## Lever 80


Length	123mm
Projection	49mm
Finger clearance	40mm



# Brass Levers and Knobs


## Lever 83

<b>Length</b>	112mm
<b>Projection</b>	62mm
<b>Finger clearance</b>	33.5mm




## Lever 85

<b>Length</b>	125.5mm
<b>Projection</b>	51mm
<b>Finger clearance</b>	43.5mm




## Lever 90

<b>Length</b>	118.5mm
<b>Projection</b>	52mm
<b>Finger clearance</b>	45mm



## Lever 92


<b>Length</b>	118.5mm
<b>Projection</b>	52mm
<b>Finger clearance</b>	45mm



# Brass Levers and Knobs

## Chorus Line 97

<b>Length</b>	120mm
<b>Projection</b>	50.5mm
<b>Finger clearance</b>	34.6mm





# 200 Series Artefact Square Corner Plate Furniture



The 200 Series Door Furniture is 162mm square with square corners. Concealed fixed plates have studs with internal threads located in each corner, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

## Application

Designed for use with Lockwood Selector 3770 and Synergy 3570 Series Mortice Locks; Latches and Push and Pull doors.



SS/Brass

Aluminium

## Product Details

<b>Dimensions</b>	162 x 162 x 3mm - aluminium 162 x 162 x 2mm - stainless steel and brass
<b>Door Thickness</b>	35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208.
<b>Standard Finishes</b>	Natural Anodised Aluminium (NT) Satin Stainless Steel (SS)
<b>Fixing</b>	Plates are designed to fit back to back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed.
<b>Finishes Non Standard</b>	316 Marine Grade (MG) Polished Brass (PB) Polished Stainless Steel (PS) Powdercoat (PC)*
<b>Handing</b>	All plates are handed with the exception of plain plates and pull handles.
<b>Materials</b>	Aluminium, brass and stainless steel

**Note:** When using flush pulls back to back the minimum door thickness is 40mm.

\* For the Powdercoat color range, please see the Dulux Powdercoat Range at the end of this catalogue section.

## Standards and Compliance

**Fire Rated**  
Lockwood Artefact Series Plate furniture have been successfully tested up to 2 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.



**S3** High security for maximum protection (AS4145.2:2008).

**D3** High durability for maximum frequency usage.




Anti-Corrosion



# 200 Series Levers and Functions


## Levers and Knob to Suit




For lever images and dimensions, see page 15.

\*1 Stainless Steel Only

## Pull Handle to Suit



## Plates



\*3 Replace NN with NS when ordering with 3770 Series

\*4 Recommended for sliding doors only

## Plates and Functions Legend

Cylinder Hole



Emergency Turn



LED



Turnknob



Disabled Turnknob



Indicating Emergency Turn





# 202 Series Artefact Round Corner Plate Furniture



The 202 Series Door Furniture is 162mm square with 10mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

## Application

Designed for use with Lockwood Selector 3770 and Synergy 3570 Series Mortice Locks; Latches and Push and Pull doors.



## Product Details

<b>Dimensions</b>	162 x 162 x 3mm - aluminium 162 x 162 x 2mm - stainless steel and brass
<b>Door Thickness</b>	35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208.
<b>Fixing</b>	Plates are designed to fit back to back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed.
<b>Standard Finishes</b>	Natural Anodised Aluminium (NT) Satin Stainless Steel (SS)
<b>Finishes Non Standard</b>	316 Marine Grade (MG) Polished Brass (PB) Polished Stainless Steel (PS) Powdercoat (PC)*
<b>Handing</b>	All plates are handed with the exception of plain plates and pull handles.
<b>Materials</b>	Aluminium, brass and stainless steel

**Note:** When using flush pulls back to back the minimum door thickness is 40mm.

\* For the Powdercoat color range, please see the Dulux Powdercoat Range at the end of this catalogue section.

## Standards and Compliance

**Fire Rated**  
Lockwood Artefact Series Plate furniture have been successfully tested up to 2 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.



**S3** High security for maximum protection (AS4145.2:2008).


**D3** High durability for maximum frequency usage.



Anti-Corrosion

## 202 Series Levers and Functions


## Levers and Knob to Suit




For lever images and dimensions, see page 15.

\*1 Stainless Steel Only

## Pull Handle to Suit









## Plates



\*3 Replace NN with NS when ordering with 3770 Series

\*4 Recommended for sliding doors only

### Plates and Functions Legend

Cylinder Hole		Emergency Turn		LED	
Turnknob		Disabled Turnknob		Indicating Emergency Turn	

# 200/202 Series Ordering Procedure

When ordering 13, 14, 16 or 39 functions with 3770 series, specify "S" in cylinder type instead of "N".

Sample part number 20001NA/96LSS is made up of several sections. Choose your product by selecting an option from each section.

Plate Type	Plate Function	Engraving	Cylinder Type	Lever/Knob/ Pull Handle	Handing	Finish
200	01	N	A	96	L	SS

Plate Type	Plate Function	Engraving - Handed	Lever/ Knob Type	Finish
Exterior Plate (162 x 162) – Square Corners 200	Plain Plate 07 Pull Handle Only 24	A – G Outlined Infill R – X Full Infill Male symbol A R Male text B S Female symbol C T Female text D U Disabled symbol E V Push text F W Pull text G X Unisex symbol H Y No option N <i>For all in-filled engraving, black gloss is the standard.</i>	20 66 83 32 67 90 44 70 92 45 71 96 55 74 97 55A 78 98*1 60 79 98*2 65** 79B <b>AS1428.1 Compliant Levers</b> 59 80 96*2 76 85** 96*3 77 96*1	<b>Stainless Steel Finishes</b> 316 Marine Grade MG Powdercoat PC Polished Stainless Steel PS Satin Stainless Steel SS <b>Aluminium Finishes</b> Natural Anodised NT* <b>Brass Finishes</b> Polished Brass PB
Interior Plate (162 x 162) – Square Corners 201	<b>Plate Function - Handed</b>			
Exterior Plate (162 x 162) – Radius Corners 202	Cylinder Only 00 Cylinder & Lever 01 Emergency Turn Only 02 Emergency Turn & Lever 03 Turnknob & Lever 04 Lever Only 05 Turnknob Only 06 Cylinder & Fixed Lever 08 Fixed Lever Only 09 Dual Cylinder 10 Privacy Indicating Emergency Turn Only 13 Privacy Indicating Emergency Turn & Lever 14 Privacy Indicating Turnknob & Lever 16 Cylinder, Lever & LED 20 Cylinder, Fixed Lever & LED 21 Lever & LED 22 Cylinder & LED 23 Pull Handle & Cylinder 25 Pull Handle & Emergency Turn 26 Pull Handle & Turnknob 27 Pull Handle & Privacy Indicating Emergency Turn 28 Pull Handle & Dual Cylinder 30 Flush Pull Only 31 Flush Pull & Cylinder 32 Flush Pull & Emergency Turn 33 Flush Pull & Turnknob 34 Flush Pull & Privacy Indicator Emergency Turn 35 Flush Pull & Dual Cylinder 37 Disabled Turnknob & Lever 39 Pull Handle & Disabled Turnknob 42			
Interior Plate (162 x 162) – Radius Corners 203		<b>Cylinder Type</b> Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders A Guarded Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders B No Cylinder Function – Selector S* No Cylinder Function – Synergy N <i>*Only applies to 13, 14, 16 and 39 functions</i>	<b>Handed Levers</b> 41 53 61 <b>Pull Handles</b> P1 P1*1 75*2 <b>Pull Handles - Horizontal</b> HP1 HP1*1 H75*2 <i>Handles are brass unless indicated otherwise *1 = Stainless Steel *2 = Aluminium *3 = 316 Marine Grade ** Lever 65 and 85 not available in PS or PB</i>	
			<b>Handing</b> Left Handed L Right Handed R	

\* Not applicable for Knob 20


# 212 Series Artefact Oval Plate Furniture



The 212 Series Door Furniture is 162mm long x 50mm wide with radius ends. Concealed fixed plates have studs with internal threads located top and bottom, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

## Application

Designed for use with Selector 3770 and Synergy 3570 Series Mortice Locks.



SS/Brass



Aluminium

## Product Details

**Dimensions** 162 x 50 x 3mm - aluminium  
162 x 50 x 2mm - stainless steel and brass

**Materials** Aluminium, stainless steel or brass

**Door Thickness** 35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208.

**Standard Finishes** Natural Anodised Aluminium (NT)  
Stainless Steel (SS)

**Non Standard Finishes** 316 Marine Grade (MG)  
Polished Brass (PB)  
Polished Stainless Steel (PS)  
Powdercoat (PC)

## Standards and Compliance

**Fire Rated**  
Lockwood Artefact Series Plate furniture have been successfully tested up to 2 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.



**S3** High security for maximum protection (AS4145.2:2008)


**D3** High durability for maximum frequency usage



Anti-Corrosion

# 212 Series Levers and Functions


## Levers and Knob to Suit




For lever images and dimensions, see page 15.

\*1 Stainless Steel Only

## Pull Handle to Suit



## Plates



\*3 Replace NN with NS when ordering with 3770 Series

## Plates and Functions Legend

Cylinder Hole



Emergency Turn



LED



Turnknob



Disabled Turnknob



Indicating Emergency Turn




# 224 Series Artefact Rectangular Plate Furniture



The 224 Series Door Furniture is 162mm long x 50mm wide with square ends. Concealed fixed plates have studs with internal threads located top and bottom, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

## Application

Designed for use with Selector 3770 and Synergy 3570 Series Mortice Locks.



## Product Details

<b>Dimensions</b>	162 x 50 x 2mm - stainless steel
<b>Materials</b>	Stainless steel only
<b>Door Thickness</b>	35mm to 45mm as supplied. Maximum 65mm. For thicker door parts, see page 53.
<b>Finishes</b>	Stainless Steel (SS)

## Standards and Compliance



**Fire Rated**  
Lockwood Artefact Series Plate furniture have been successfully tested up to 2 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

**S3**

High security for maximum protection (AS4145.2:2008)

**D3**


High durability for maximum frequency usage



Anti-Corrosion


# 224 Series Levers and Functions

## Levers and Knob to Suit




For lever images and dimensions, see page 15.

## Pull Handle to Suit



## Plates



\* Replace NN with NS when ordering with 3770 Series

### Plates and Functions Legend

Cylinder Hole		Emergency Turn		LED	
Turnknob		Disabled Turnknob		Indicating Emergency Turn	



# 212/224 Series Ordering Procedure

When ordering 13, 14, 16 or 39 functions with 3770 series, specify "S" in cylinder type instead of "N".

Sample part number 21201NA/96LSS is made up of several sections.  
Choose your product by selecting an option from each section.

Plate Type	Plate Function	Engraving	Cylinder Type	Lever/Knob/Pull Handle	Handing	Finish
212	01	N	A	96	L	SS

Plate Type	Plate Function	Engraving - Handed	Lever/ Knob Type	Finish
Exterior Plate (162 x 50) – Oval 212	Cylinder Only 00	<b>A – G Outlined Infill</b>	20 66 83	<b>Stainless Steel Finishes</b>
Interior Plate (162 x 50) – Oval 213	Cylinder & Lever 01	<b>R – X Full Infill</b>	32 67 90	316 Marine Grade MG
Exterior Plate (162 x 50) – Rectangular 224	Emergency Turn Only 02	Male symbol A R	44 71 92	Powdercoat PC
Interior Plate (162 x 50) – Rectangular 225	Emergency Turn & Lever 03	Male text B S	45 74 97	Polished Stainless Steel PS
	Turnknob & Lever 04	Female symbol C T	55 78 98*1	Satin Stainless Steel SS
	Lever Only 05	Female text D U	55A 79 98*2	<b>Aluminium Finishes*4</b>
	Turnknob Only 06	Disabled symbol E V	60 79B	Natural Anodised NT
	Plain Plate 07	Push text F W	65** 80	<b>Brass Finishes*4</b>
	Dual Cylinder 10	Pull text G X	<b>AS1428.1 Compliant Levers</b>	Polished Brass PB
	Privacy Indicating Emergency Turn Only 13	Unisex symbol H Y	59 80 85**	
	Privacy Indicating Emergency Turn & Lever 14	No option N	96*2 76 77	
	Privacy Indicating Turnknob & Lever 16	<b>Cylinder Type</b>	96*1	
	Cylinder, Lever & LED 20	Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders A	<b>Handed Levers</b>	
	Cylinder, Fixed Lever & LED 21	Guarded Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders B	41 53 61	
	Lever & LED 22	No Cylinder Function - Selector S*	<b>Angled Levers</b>	
	Cylinder & LED 23	No Cylinder Function - Synergy N	98A	
	<b>Plate Function - Handed</b>	<i>*Only applies to 13, 14, 16 and 39 functions</i>	<b>Pull Handles</b>	
	Cylinder & Fixed Lever 08		P1 P1*1 75*2	
	Fixed Lever Only 09		<i>Handles are brass unless indicated otherwise</i>	
	Disabled Turnknob & Lever 39		<i>*1 = Stainless Steel</i>	
			<i>*2 = Aluminium</i>	
			<i>** Lever 65 and 85 not available in PS or PB</i>	
			<b>Handing</b>	
			Left Handed L	
			Right Handed R	

\*4 Only available with 212 Series

# Detention Series Square Plate Furniture



A heavy duty plate designed for use in hospitals and detention facilities. Styled for institutional use, this plate has six fixing points to ensure that it is well secured to the door. Plates are designed to be free of ligature points.

## Application

Designed for use with Lockwood Selector 3770 and Synergy 3570 Series Mortice Locks as well as Lockwood 3579 Secure Area Rated Locks.

## Features and Specifications

- Anti-ligature - Knob 21 & 22
- Covers fixing holes from existing Artefact 200 Series Furniture
- Detention furniture turns feature a clutching mechanism that allows the cylinder to retract the bolt even if the turnknob is held from the inside

## Product Details

<b>Dimensions</b>	162mm x 180mm x 2mm: base plate 161mm x 75mm x 3mm: bevelled top plate
<b>Door Thickness*</b>	35mm minimum, 45mm maximum
<b>Finishes</b>	Satin Stainless Steel (SS)
<b>Fixing</b>	Six fixing points 220D series plates have concealed fixings 221D series plates have visible fixings
<b>Handing</b>	All plates are handed except 220D07, 220D24 and 220D31, which are non-handed when ordered without engraving.
<b>Materials</b>	Stainless steel

**\*Note:** A minimum door thickness of 50mm is required to fit flush pulls back to back.

## Standards and Compliance



**Fire Rated**  
Lockwood Detention Series Plate furniture have been successfully tested up to 2 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

**S3**

High security for maximum protection (AS4145.2:1993).


**D3**

High durability for maximum frequency usage.



Anti-Corrosion

# Detention Series Square Plate Lever/Knobs and Functions




Legend:	Cylinder Hole	Lever/Knob	Fixed Lever/Knob	Turnknob	Emergency Turn
	Privacy Indicating Turnknob	Privacy Indicating Emergency Turn	LED	Pull Handle	Flush Pull

Cylinder guards must be ordered separately. Only the plate functions shown above in red are available with engraving.


\* Refer to ordering procedure for part number when ordering with 3770 Series

## Lever and Knob Selection


Standard Knob 21



Webbed Knob 22



Lever 23



# Detention Series Rectangular Plate Furniture



This smaller plate range has been designed for use in detention facilities such as hospitals where domestic aesthetics are preferred over institutional type styling. Plates are designed to be free of ligature points.

## Application

Designed for use with Lockwood Selector 3770 and Synergy 3570 Series Mortice Locks as well as Lockwood 3579 Secure Area Rated Locks.

## Features and Specifications

- Anti-ligature - Knob 21 & 22
- Covers fixing holes from existing 212 Series Artefact Plates
- Detention furniture turns feature a clutching mechanism that allows the cylinder to retract the bolt even if the turnknob is held from the inside

## Product Details

<b>Dimensions</b>	162mm x 76mm x 2mm: base plate 161mm x 75mm x 3mm: bevelled top plate
<b>Door Thickness</b>	35mm minimum, 45mm maximum
<b>Finishes</b>	Satin Stainless Steel (SS)
<b>Fixing</b>	Four fixing points 222D series plates have concealed fixings 223D series plates have visible fixings
<b>Handing</b>	Only plates with 23 Lever and / or turnknobs are handed
<b>Materials</b>	Stainless steel

## Standards and Compliance



**Fire Rated**  
Lockwood Detention Series Plate furniture have been successfully tested up to 2 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

**S3**

High security for maximum protection (AS4145.2:1993).


**D3**

High durability for maximum frequency usage.



Anti-Corrosion



# Detention Series Rectangular Plate Lever/Knobs & Functions




\* Refer to ordering procedure for part number when ordering with 3770 Series

## Lever and Knob Selection



Standard Knob 21



Webbed Knob 22




Lever 23



# Detention Series – Knobs and Levers


## Standard Knob 21

Simple yet functional, this knob has soft edges to minimise impact injuries and anti-ligature features that make it suitable for use in detention facilities.




## Webbed Knob 22

The webbed knob combines pleasing aesthetics, comfortable grip and anti-ligature features to provide a solution for any environment.




## Lever 23

Ergonomically designed to maximise grip, the detention lever is suitable for use in hospitals and minimum security applications. It caters especially for the elderly or people with arthritic conditions.




# Detention Series – Turns


Emergency Turn




Turnknob



Privacy Indicating  
Emergency Turn




Privacy Indicating Turnknob



# Detention Series – Pulls


## Flush Pull

The detention flush pull has been designed to maximise grip and eliminate the possibility of hiding objects in the cavity.



## Standard Pull

The detention pull allows for a firm grip and can be used to open heavy doors. Also designed to be free of hanging points.





# Detention Series – Accessories

## Cylinder Guards

Part Number	Door Thickness Suitability
-------------	----------------------------

220D00/40SS	Suit doors 35-40mm
-------------	--------------------

220D00/45SS	Suit doors 40-45mm
-------------	--------------------

220D00/50SS	Suit doors 45-50mm
-------------	--------------------

220D00/55SS	Suit doors 50-55mm
-------------	--------------------

220D00/60SS	Suit doors 55-60mm
-------------	--------------------



Cylinder guards must be fitted with any cylinder plate function. Guards are available to suit different door thicknesses.

## Fixing Screws

Part Number	Description	Door Thickness Suitability
-------------	-------------	----------------------------

220D11/45	Torx Anti-tamper Screws	35 - 45mm
-----------	-------------------------	-----------

220D11/55	Torx Anti-tamper Screws	45 - 55mm
-----------	-------------------------	-----------

220D11/65	Torx Anti-tamper Screws	55 - 65mm
-----------	-------------------------	-----------

220D12/45	Standard Screws	35 - 45mm
-----------	-----------------	-----------

220D12/55	Standard Screws	45 - 55mm
-----------	-----------------	-----------

220D12/65	Standard Screws	55 - 65mm
-----------	-----------------	-----------

220D13/50	Snake-eye Screws	35 - 50mm
-----------	------------------	-----------

Torx anti-tamper, snake-eye and standard screws are available in accessory packs to suit different door thicknesses. Only standard screws to suit doors 35mm – 45mm thick are supplied with furniture. Other variations need to be ordered separately using part numbers specified.

All accessory packs contain six screws for the six mounting points per plate.

Screws are a M4 threaded screw with micro-encapsulation to provide resistance against coming loose. Screws are supplied with concealed fix furniture. For screws longer than 65mm, order SP0655MBK (75mm screws).

# Detention Series Square Plate Furniture Ordering Procedure

When ordering 04, 06, 13, 14, 15, 16, 59, 60, 61, 65, 66 or 67 functions with 3770 series, refer to "Cylinder Type" specification for difference in part numbers.

Sample part number 220D01NA/21LSS is made up of several sections. Choose your product by selecting an option from each section.

Plate	Function	Engraving Options	Cylinder Type	Lever/ Knob	Handing	Finish		
220	D	01	N	A	/	21	L	SS

Plate
Concealed Fix 162mm x 180mm
Visible Fix 162mm x 180mm

Function
Plain Plate
Pull Handle Only
Flush Pull Only

Function - Handed
Cylinder Only
Cylinder and Lever/Knob
Emergency Turn Only
Emergency Turn and Lever
Turnknob and Lever/Knob
Lever/Knob Only
Turnknob Only
Cylinder and Fixed Lever/Knob
Fixed Lever/Knob Only
Privacy Indicating Emergency Turn Only
Privacy Indicating Emergency Turn and Lever/Knob
Privacy Indicating Turnknob Only
Privacy Indicating Turnknob and Lever/Knob
Cylinder, Lever/Knob and LED
Cylinder, Fixed Lever/Knob and LED
Lever/Knob and LED
Cylinder and LED
Pull Handle and Cylinder
Pull Handle and Emergency Turn

Function - Handed cont.
Pull Handle and Turnknob
Pull Handle and Privacy Indicating Emergency Turn
Pull Handle and Privacy Indicating Turnknob
Flush Pull and Cylinder
Flush Pull and Emergency Turn
Flush Pull and Turnknob
Flush Pull and Privacy Indicating Emergency Turn
Flush Pull and Privacy Indicating Turnknob
Pull Handle and Knob
Pull Handle, Cylinder and Knob
Pull Handle, Emergency Turn and Knob
Pull Handle, Turnknob and Knob
Pull Handle, Privacy Indicating Emergency Turn and Knob
Pull Handle, Privacy Indicating Turnknob and Knob
Flush Pull and Lever/Knob
Flush Pull and Cylinder and Lever/Knob
Flush Pull and Emergency Turn and Lever/Knob
Flush Pull and Turnknob and Lever/Knob
Flush Pull and Privacy Indicating Emergency Turn and Lever/Knob
Flush Pull and Privacy Indicating Turnknob and Lever/Knob

Engraving Options
Male Symbol
Male Text
Female Symbol
Female Text
Disabled Symbol
Push Text
Pull Text
Unisex Symbol
No Option

For all in-filled engraving, black gloss is the standard.  
A-G Outlined Infill  
R-X Full Infill

Cylinder Type
Australian Oval
No Cylinder - Selector
No Cylinder - Synergy
No Cylinder / No Tailbar - Selector
No Cylinder / No Tailbar - Synergy

\*1 Only applies to 04, 06, 13, 14, 15, 16, 59, 60, 61, 65, 66 and 67 functions.

\*2 Only applies to 15, 16, 61 and 67 functions.

Knob
Standard Knob
Webbed Knob

Lever - Handed
Lever

Handing
Left Handed
Right Handed

\*Lever cannot be used in combination with pull handle

Finish
Satin Stainless Steel

**Note:** Cylinder guards must be ordered with all cylinder function plates. All turnknob functions are supplied with tailbars and clutching mechanisms as standard.

# Detention Series Rectangular Plate Furniture Ordering Procedure

When ordering 04, 06, 13, 14, 15 or 16 functions with 3770 series, refer to "Cylinder Type" specification for difference in part numbers.

Sample part number 222D04NS/21LSS is made up of several sections. Choose your product by selecting an option from each section.

Plate	Function	Engraving Options	Cylinder Type	Lever/ Knob	Handing	Finish	
222	D	04	N	S	21	L	SS

Plate	Engraving Options	Knob	Finish		
Concealed Fix 162mm x 76mm	222	Standard Knob	21	Satin Stainless Steel	SS
Visible Fix 162mm x 76mm	223	Webbed Knob	22		
		Lever - Handed			
		Lever	23		
		Handing			
		Left Handed	L		
		Right Handed	R		

Function	Cylinder Type
Cylinder Only	00
Cylinder and Lever/Knob	01
Emergency Turn Only	02
Emergency Turn and Lever	03
Lever/Knob Only	05
Plain Plate	07
Cylinder and Fixed Lever/Knob	08
Fixed Lever/Knob Only	09
Privacy Indicating Emergency Turn Only	13
Privacy Indicating Emergency Turn and Lever/Knob	14
Cylinder, Lever/Knob and LED	20
Cylinder, Fixed Lever/Knob and LED	21
Lever/Knob and LED	22
Cylinder and LED	23
Function - Handed	
Turnknob and Lever/Knob	04
Turnknob only	06
Privacy Indicating Turnknob Only	15
Privacy Indicating Turnknob and Lever/Knob	16

Male Symbol	A	R
Male Text	B	S
Female Symbol	C	T
Female Text	D	U
Disabled Symbol	E	V
Push Text	F	W
Pull Text	G	X
Unisex Symbol	H	Y
No Option		N

For all in-filled engraving, black gloss is the standard.  
A-G Outlined Infill  
R-X Full Infill

Australian Oval	A
No Cylinder - Selector	S*1
No Cylinder - Synergy	N
No Cylinder / No Tailbar - Selector	SN*2
No Cylinder / No Tailbar - Synergy	NN


\*1 Only applies to 04, 06, 13, 14, 15 and 16 functions.  
\*2 Only applies to 15 and 16 functions.

**Note:** Cylinder guards must be ordered with all cylinder function plates. All turnknob functions are supplied with tailbars and clutching mechanisms as standard.

# Palladium® Series Door Furniture




The Palladium Series represents the highest standard in residential and semi-commercial door hardware and is brought to you through modern innovative designs, combined with quality manufacturing. A range of lever options is available to enable a common style throughout the home.



## Product Details

<b>Dimensions</b>	222 x 30 x 9mm
<b>Door Thickness</b>	Minimum 32mm - maximum 45mm door thickness.
<b>Finishes</b>	Black (BLK) Polyester Powdercoat (PPC) Satin Chrome Pearl (SP) Satin Chrome Pearl New Zealand (SPNZ)
<b>Fixing</b>	Hole centres at 181mm
<b>Handing</b>	Easy, field selectable handing.
<b>Materials</b>	All plates and levers in the Palladium Series are constructed from solid zinc die-cast.
<b>Screws</b>	M4 Trilobial thread cutting screws Non-threaded screw posts
<b>Keying</b>	Use with Euro profile cylinder
<b>Application</b>	Used with Optimum and Union mortice locks, see table on page 48.


## Standards and Compliance

<b>S3</b>	High security for maximum protection (AS4145.2:2008).
<b>D8</b>	Tested to AS4145.2 2008 for Durability passing D8 - 500,000 cycles.
	Tested to AS4145.2 2008 for Neutral Salt Spray passing C6 Normal Corrosion Resistance - 168 Hours.

# Palladium® Series Furniture

## French Door - PLFD Versions


These are used on the fixed door of a set of double doors. The outside furniture has no visible screws, no cylinder hole and the handle is fixed. The inside furniture has visible screw fixings, is used to operate two way locking and has a cylinder hole. This works with the cylinder supplied with the two way lock.



PLFD/85/##

## Passage - PL1 Versions


These are used on the active door of either single or double doors. The outside furniture has no visible screws, no cylinder and the handle operates the latch on the lock. The inside furniture has visible screw fixings, no cylinder hole and the handle operates the latch on the lock.



PL1/00/##

## Double Cylinder - PL4 Versions


These are used on the active door of either single or double doors. The outside furniture has no visible screws, a cylinder hole and the handle operates the latch on the lock. The inside furniture has visible screw fixings, a cylinder hole and the handle operates the latch on the lock. Handles operate bolts when used with a compatible multi point lock.



PL4/85/##

## Dummy - PL5 Versions


These are used on the fixed door of a set of double doors. The outside furniture has no visible furniture screws, no cylinder hole and the handle is fixed. The inside furniture has visible screw fixings, no cylinder hole and the handle is fixed.



PL5/00/##

## Indicating with Snib - PX4 Versions


These are used on the active door of either single or double doors. The outside furniture has no visible screws, a cylinder hole and the handle operates the latch on the lock. The inside furniture has visible screw fixings, a cylinder hole and the handle operates the latch on the lock. The snib on the inside locks and unlocks the handles and the indicator is red when the cylinder is locked.




PX4/85/##

# Palladium® Series Door Furniture


## Summit® L1



## Aria® #27




## Acacia® #29




# Palladium® Series Door Furniture

## Acacia® #29A



## Gidgee® L37




# Diecast Levers

## Acacia® #29

<b>Part Number</b>	#29
<b>Length</b>	122mm
<b>Projection</b>	56mm
<b>Finger clearance</b>	41mm


\*Design Registered Australia/New Zealand.



## Acacia® #29A

<b>Part Number</b>	#29
<b>Length</b>	122mm
<b>Projection</b>	56mm
<b>Finger clearance</b>	41mm


\*Design Registered Australia/New Zealand.



## Aria® S27

<b>Part Number</b>	#27
<b>Length</b>	123mm
<b>Projection</b>	48mm
<b>Finger clearance</b>	36mm


\*Design Registered Australia/New Zealand.



## Gidgee® #37

<b>Part Number</b>	#37
<b>Length</b>	122mm
<b>Projection</b>	53mm
<b>Finger clearance</b>	37mm

\*Design Registered Australia/New Zealand.






# Diecast Levers

## Summit® #L1

<b>Part Number</b>	#L1
<b>Length</b>	124mm
<b>Projection</b>	57mm
<b>Finger clearance</b>	37mm

\*Design Registered Australia/New Zealand.



# Palladium® Series Part Numbers

## Double Cylinder Locking Furniture

Lever 1	Part Number	Barcode
Satin Chrome Pearl	PL4/85/L1SP	9311847793781
Black	PL4/85/L1BLK	9311847793811
Satin Chrome Pearl (NZ)	PL4/85/L1SPNZ	9340116012506
Powdercoat	PL4/85/L1PPC	9311847793842

Lever 27	Part Number	Barcode
Satin Chrome Pearl	PL4/85/27SP	9311847798519
Black	PL4/85/27BLK	9311847798458
Satin Chrome Pearl (NZ)	PL4/85/27SPNZ	9311847147355
Powdercoat	PL4/85/27PPC	9311847798496

Lever 29 / 29A	Part Number	Barcode
Satin Chrome Pearl	PL4/85/29ASP	9340116022826
Black	PL4/85/29ABLK	9340116022833
Satin Chrome Pearl (NZ)	PL4/85/29SPNZ	9340116023403
Powdercoat	PL4/85/29PPC	9311847797307

Lever 37	Part Number	Barcode
Satin Chrome Pearl	PL4/85/37SP	9311847798670
Black	PL4/85/37BLK	9311847798618
Satin Chrome Pearl (NZ)	PL4/85/37SPNZ	9340116028750
Powdercoat	PL4/85/37PPC	9311847798656

## French Door Sets

Lever 1	Part Number	Barcode
Satin Chrome Pearl	PLFD/85/L1SP	9311847810839
Black	PLFD/85/L1BLK	9311847810808

Lever 27	Part Number	Barcode
Satin Chrome Pearl	PLFD/85/27SP	9311847810433
Black	PLFD/85/27BLK	9311847810402

## Passage Sets

Lever 27	Part Number	Barcode
Black	PL1/00/27BLK	
Satin Chrome Pearl (NZ)	PL1/00/27SPNZ	
Powdercoat	PL1/00/27PPC	

## Dummy Sets

Lever 27	Part Number	Barcode
Black	PL5/00/27BLK	
Satin Chrome Pearl (NZ)	PL5/00/27SPNZ	
Powdercoat	PL5/00/27PPC	

# Palladium® Series Part Numbers

## Indicating & Snib - Double Cylinder Locking Furniture

Lever 1	Part Number	Barcode
Satin Chrome Pearl	PX4/85/L1SP	9311847105522
Black	PX4/85/L1BLK	9311847105492
Satin Chrome Pearl (NZ)	PX4/85/L1SPNZ	9340116027173
Powdercoat	PX4/85/L1PPC	9311847105515

Lever 27	Part Number	Barcode
Satin Chrome Pearl	PX4/85/27SP	9311847989405
Black	PX4/85/27BLK	9311847989412
Satin Chrome Pearl (NZ)	PX4/85/27SPNZ	9311847119260
Powdercoat	PX4/85/27PPC	9311847105225

Lever 29 / 29A	Part Number	Barcode
Satin Chrome Pearl	PX4/85/29ASP	9340116022802
Black	PX4/85/29ABLK	9340116022819
Satin Chrome Pearl (NZ)	PX4/85/29SPNZ	9340116027180
Powdercoat	PX4/85/29PPC	9311847105355

Lever 37	Part Number	Barcode
Satin Chrome Pearl	PX4/85/37SP	9311847105485
Black	PX4/85/37BLK	9311847105454
Satin Chrome Pearl (NZ)	PX4/85/37SPNZ	9340116028767
Powdercoat	PX4/85/37PPC	9311847105478

# Palladium® Series Part Numbers


Application				
Item Number	Product Name	PL	PX	PLFD
OP30/1LAN/SS	OPTIMUM 1PT HINGED 30MM BACKSET TP	✓	✗	✗
OP30/2PTL/SS	OPTIMUM 2PT HINGED 24MM BOLT 30MM BACKSET TP	✓	✓	✗
OP30/2PTL/SSBL	OPTIMUM 2PT HINGED BEVEL BOLT 24MM BOLT 30MM BACKSET PK=25	✓	✓	✗
OP30/2PTS/SS	OPTIMUM 2PT HINGED 13MM BOLT 30MM BACKSET TP	✓	✓	✗
OP30/2PTS/SSBL	OPTIMUM 2PT HINGED BEVEL BOLT 30MM BACKSET PK=25 TP	✓	✓	✗
OP30/4PTS/SSBL	OPTIMUM 4PT HINGED SHOOT BEVEL BOLT 30MM BACKSET PK=25 TP	✓	✓	✗
OP30/4RML/SS	OPTIMUM 4PT HINGED REMOTES 24MM BOLT 30MM BACKSET	✓	✓	✗
OP30/4RML/SSBL	OPTIMUM 4PT HINGED REMOTES 24MM BOLT 30MM B/SET BEVEL BOLT & 2 PACKERS	✓	✓	✗
OP30/4RMS/SS	OPTIMUM 4PT HINGED REMOTES 13MM BOLT 30MM BACKSET	✓	✓	✗
OP30/4SBL/SS	OPTIMUM 4PT HINGED SHOOT BOLT 24MM BOLT 30MM BACKSET TP	✓	✓	✗
OP30/4SBS/SS	OPTIMUM 4PT HINGED SHOOT BOLT 13MM BOLT 30MM BACKSET TP	✓	✓	✗
OP40/2PTL/SS	OPTIMUM 2PT HINGED 24MM BOLT 40MM BACKSET TP	✓	✓	✗
OP40/4SBS/SS	OPTIMUM 4PT HINGED SHOOT BOLT 13MM BOLT 40MM BACKSET TP	✓	✓	✗
OP50/2PTL/SS	OPTIMUM 2PT HINGED 24MM BOLT 50MM BACKSET	✓	✓	✗
U-X925-SS-M5	UNION 85MM PITCH EURO MORTICE LOCK 25MM BACKSET TP	✓	✗	✗
U-X930-SS-M5	UNION 85MM PITCH EURO MORTICE LOCK 30MM BACKSET	✓	✗	✗
U-X935-SS-M5	UNION 85MM PITCH EURO MORTICE LOCK 35MM BACKSET	✓	✗	✗
P84318NRA	TBL FR DR NO FURN/CYL *NO RODS	✗	✗	✓

**Note:** For further information, please refer to the Euro Profile Mortice Locks catalogue.

# Brass Furniture Thicker Door Accessories

Lockwood Brass Door Furniture is suitable for use across a wide range of door thicknesses. In certain applications longer screws, spindles and turnknob tailbars may be required.

## Screws




### Screws

Part Number	Pack Size	Length (A)	Threaded Length (B)	Door Thickness	
				Min	Max
SPA20-V3 NSS	20	65mm	40mm	32mm	50mm
SP0655MBK	10	75mm	40mm	42mm	60mm
SP1800-608ZP	10	120mm	75mm	52mm	105mm
SP1800-208SS	10	215mm	125mm	97mm	200mm

**Note:** Item shown is red is the standard screw that is supplied with furniture.

Consideration should be given to screw finish on furniture platforms featuring visible fixing.

## Mortice Lock Spindles



### Mortice Lock Spindles

Part Number	Pack Size	Length (A)	Door Thickness	
			Min	Max
SP3570-5018	10	33mm	35mm	50mm
SP3570-5228	10	45mm	50mm	75mm
SP3570-5238	1	58mm	75mm	100mm

In thicker door scenarios when Lockwood Brass Door Furniture is used with Lockwood Selector or Synergy Series Mortice Locks, longer spindles may be required.

## Turnknob Tailbars

The door thickness range for a turnknob tailbar will depend on whether the turn is in a cylinder and turn configuration or a privacy (turn and turn) configuration



### Turnknob Tailbars

Part Number	Pack Size	Length
SP571-38ZP	10	47mm
SP571-138ZP	1	98mm

**Note:** Item shown is red is the standard tailbar that is supplied with furniture.

# Lockwood Door Furniture Handing Convention

Applicable for All Handed Furniture



# Velocity® 63mm Series Rose Door Handles



**Lockwood** is the leading brand in the Australian locking industry. With an established reputation for high quality products, this iconic brand provides a wide range of locking solutions to residential housing, commercial, semi-commercial, building and industrial application markets. Lockwood is supported by an extensive distribution and after-sales support network. Our customers include retailers, architects, trade and industrial personnel, locksmiths and security dealers.

**ASSA ABLOY** is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

**ASSA ABLOY** is represented in all major regions, in both mature and emerging markets, with leading positions in Australia, Europe and North America.



### **The Lockwood 25 Year Mechanical Warranty**

Our belief that we manufacture the finest premium products available in today's market place is backed by the Lockwood 25 Year Mechanical Warranty, ensuring that Lockwood continues to keep Australians safe by delivering security and peace of mind.

For warranty terms and conditions, please visit [www.lockweb.com.au](http://www.lockweb.com.au) or call **1300WARRANTY**

**ASSA ABLOY Australia Pty Ltd**  
235 Huntingdale Road  
Oakleigh, Victoria, 3166  
Australia

**1300 LOCK UP (1300 562 587)**  
[lockweb.com.au](http://lockweb.com.au)

**ASSA ABLOY New Zealand Ltd**  
6 Armstrong Road  
Albany, Auckland, 0632  
New Zealand

[info.nz@assaabloy.com](mailto:info.nz@assaabloy.com)  
Telephone +64 9415 7111  
[assaabloy.co.nz](http://assaabloy.co.nz)

### **Disclaimer**

Whilst every effort has been made to ensure that the information (including product images and drawings) contained in this brochure is accurate at the time of publication, ASSA ABLOY Australia Pty Limited ("ASSA ABLOY") recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the brochure or arising from the use or application of the information contained herein. © 2018 copyright by ASSA ABLOY All rights reserved

