

# PL6B Series Padlock

Experience a safer  
and more open world



A strong and durable padlock, suitable for a wide range of commercial or industrial applications. Specifically developed to accept an ABLOY cylinder, the PL6B Padlock offers the flexibility to be set up with latching function, where the key can be removed with the shackle in the open position, or deadlocking function, where the key is retained and can only be removed with the shackle in the locked position.

## Features & Benefits

- Accepts ABLOY CY652 cylinder
- Standard as latching function
- Can be converted to deadlocking function (key retained) by simply relocating the cam plate pin in the cylinder assembly
- Double ball locking
- High corrosion resistant 8.7mm Boron steel shackle
- Shackles compatible with Lockwood 334 Series padlocks, 38mm, 48mm, 90mm
- Custom marking available on application
- Heavy duty, 45mm solid brass body with satin chrome finish

## Applications

Suitable for outdoor use in a wide range of commercial or industrial applications.

## Function (two functions)

Latching function, is where the key can be removed with the shackle in the open position, default function.

Deadlocking function, is where the key is retained and can only be removed with the shackle in the locked position.

**Note** - All functions operate with spring loaded shackle.


# PL6B Series Padlock

Experience a safer  
and more open world

## Specifications

<b>Materials:</b>	Brass (Body, Cylinder) Boron Steel (Shackle) Stainless Steel (Locking Balls, Shackle Spring)
<b>Finishes:</b>	Satin Chrome Brushed (Body) Chrome Plate (Shackle)
<b>Shackles:</b>	Boron Steel, 25mm, 38mm, 48mm and 90mm shackle lengths. <b>Note</b> – compatible with all Lockwood 334 Series shackles.
<b>Cylinder:</b>	CY652T - ABLOY PROTEC <sup>2</sup> CY652N - ABLOY PROTEC
<b>Special Keying:</b>	Locks can be keyed to ABLOY PROTEC <sup>2</sup> or ABLOY PROTEC key systems. ABLOY PROTEC <sup>2</sup> is a restricted keying platform where keys are legally protected to protect against unauthorised duplication
<b>Serviceability:</b>	Rekeyable cylinder
<b>Standards:</b>	Salt Spray Tested to AS 4145.4 – 2002 Grade C4 (240 hours)

## Dimensions



# PL6B Series Padlock

Experience a safer  
and more open world

## Part Numbers (assembled)

<b>PL6B45/125/T</b>	PL6B ABLOY PROTEC2 Padlock with 25mm Boron Shackle
<b>PL6B45/138/T</b>	PL6B ABLOY PROTEC2 Padlock with 38mm Boron Shackle
<b>PL6B45/148/T</b>	PL6B ABLOY PROTEC2 Padlock with 48mm Boron Shackle
<b>PL6B45/190/T</b>	PL6B ABLOY PROTEC2 Padlock with 90mm Boron Shackle

**Note** – no keys included, all cut keys ordered separately. For ABLOY PROTEC, substitute “T” for “N” in the part numbers above. E.g. PL6B45/125/N.

## Part Numbers (unassembled)

<b>PL6B45/BK</b>	PL6B ASSA ABLOY bulk padlock kit, includes padlock assembly less shackle. No cylinder or keys included.
------------------	---

### Disclaimer

Whilst every effort has been made to ensure that the information (including product images and drawings) contained in this product specification sheet is accurate at the time of publication, ASSA ABLOY Australia Pty Limited (“ASSA ABLOY”) recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the product specification sheet or arising from the use or application of the information contained herein. © 2020 copyright by ASSA ABLOY All rights reserved. ASSA ABLOY Australia Pty Limited ABN 90 086 451 907 ©2020\_05\_V1